


Fi & I



Fi82

www.acme.com

Select Appication

Maintain Asset Catalog

Maintain Vendor Dutabase

Fiz3

	www.acme.com/login		
	Asset Contalog		
* - * · · · · · · · · · · · · · · · · ·	user Name		
7	password		
	,		
	(Submit)		
	· · · · · · · · · · · · · · · · · · ·		


Figy.

www.acme.com/main menu Asset catatog main Monu view asset create asset modify asset

Fig 5

www.a	acme.com/creatasset	
	Asset Catalog	(Main Monu)
	Asset ID Asset Type	
	Asset Descriptiv	
	Asset Price	
		••
Create, Asset		

Fi86





F187

the state of a state of the sta

40.00 to 00.00

The Control of the Co






determine Resolution 01 02 detern Comm Resol 03 04 view W conditional

Fi 810

ditte ditte ditte it the time.

detorming Designer (command) class into for bean 50 select rext method 3ره all methods Return already N 05 04 resolve that set method set The state state of the state of M 07 resolve bet metrod Get Fisll



resolve Get method Designa 01 attribute, N 03 02 attributi retrieve attribute descriptor incomme set destination 04 <u>e</u>ś Types Heart, Affre, Affret, ff. ff. ff. ff. street street H. H. H. H. Heart H. H. Hann, M. Hand, M. Markett H. Hand, M. 07 set name, type, director, dest 08 put attributingo resolved list add attribute into to list retur Fig13

create conditing add attribute Retur F1814 A grant of given are the second than the second than the second that the secon

determine Viscoluti Designe attribute, no oddathibute info to List

Fig15.

Output Results 01 sclect next attributinfo from List 02 all attribute infos already selecte Retur N 04 03 command 06 05 View 08 07 Condition

Fi8/6

The first part in the first of the first part of

Output o Designe 01 last = commano ast outputcommed 04 03 Dutput direct m 04 05 attribute constens N 08 07 output resolved attribute resolved N 09 primitive 10 unresolved error W output unresolve primtive Retur F1817